


## Sportsmaster® WSF

Spring & Summer 28-5-19+TE

28-2.2-15.8 +TE



### Product description

Sportsmaster WSF is a premium fertilizer with TMax technology for enhanced foliar and root nutrient uptake. Ideal for use on sports fields and fairways to compliment the main granular fertilizer programme.

### Product advantages

1. High nitrogen content ensures a fast initial effect.
2. High Urea nitrogen component optimizes foliar uptake.
3. Mixed nitrogen source to optimize plant uptake.
4. Ideal tank mix partner for boosting nitrogen levels.
5. High Potassium content provides balanced growth and stronger turf
6. Trace element package for improved turf health

### Technology

Poly-S	Pace	TMax	MU <sub>2</sub>	Silk	Pro-Lite
		✓			

### Use

Green	Tee	Fairway	Sports field	Amenity
✓	✓✓	✓✓	✓✓	✓✓

### Recommended period for use

J	F	M	A	M	J	J	A	S	O	N	D
---	---	---	---	---	---	---	---	---	---	---	---

### Performance\*

Granule dispersal: immediate  
Turf response: < 24 hours  
Longevity: 2-4 weeks (depending on rate)  
\* depending on environmental factors

### Product characteristics

Pack size: 15 kg  
Foliar Application Rate: 15-30 kg /Ha  
Water volume: 300-600 L/Ha  
Drench application rate: 30-60 kg /Ha  
Water volume: 600-1000 L/Ha  
Pack coverage: 2500-10000m<sup>2</sup>  
Item code: 2056



## Nutrient levels applied (kg/ha)

15 kg/Ha			30 kg/Ha		
N	P	K	N	P	K
4.2	0.8	2.9	8.4	1.5	5.7

45 kg/Ha			60 kg/Ha		
N	P	K	N	P	K
12.6	2.3	8.6	16.8	3.0	11.4

## Directions for use

- Sportsmaster WSF products are tank-mixable with other products within the range and H<sub>2</sub>Pro & H<sub>2</sub>Pro Maximise wetting agents.
- To ensure that this product dissolves completely: all products should be mixed by adding quantity required to a half full spray tank and agitating for 10-15 minutes. Bring to total volume with water. Water temperature will affect dissolution rate.
- Avoid applications during frosty or drought conditions.
- Mix with TurfMark Extra spray pattern indicator to aid spraying, to condition water and minimize spray drift.
- The water volume used to apply Sportsmaster WSF will affect how nutrients are taken up by the plant.
- For foliar applications use low water volumes (300-600 L/Ha) and to optimize uptake avoid high temperatures and sunny conditions.
- For root uptake applications use high water volumes (600-1000 L/Ha) and follow immediately with a minimum of 2-3 minutes irrigation to provide the necessary water volume and to reduce the risk of turf injury.

## Storage

Store in original container. Keep at temperatures above 0°C. Keep away from food, drink and animal feeding stuffs. In crystalline form, enhances combustibility of other substances. Keep from drying out. Protect from contamination.

## Health and safety

A Material Safety Data Sheet is available on request.

## Guaranteed analysis

28%	<b>TOTAL NITROGEN (N)</b> 5.6% nitrate nitrogen (NO <sub>3</sub> -N) 1.0% ammoniacal nitrogen (NH <sub>4</sub> -N) 21.4% urea nitrogen (Ur-N)
5%	<b>PHOSPHORUS PENTOXIDE (P<sub>2</sub>O<sub>5</sub>)</b> water soluble 2.2% Phosphorus (P), water soluble
19%	<b>POTASSIUM OXIDE (K<sub>2</sub>O)</b> water soluble 15.8% Potassium (K), water soluble
0.02%	Boron (B) water soluble
0.016%	Copper (Cu) water soluble
0.13%	Iron (Fe) water soluble (DTPA)
0.06%	Manganese (Mn) water soluble
0.010%	Molybdenum (Mo) water soluble
0.016	Zinc (Zn) water soluble (EDTA)

## Sprayer advice

Spray quality	Size of droplets	Retention on leaf surface	Potential drift hazard*	Foliar application	Root application
Very fine	Fine	Good	High	✓✓	x
Fine	↓	Good	↑	✓	x
Medium	↓	Good	↑	✓	✓
Coarse	↓	Moderate	↑	✓	✓
Very coarse	Coarse	Poor	Very low	x	✓✓

\* Spray drift can be minimized by using TurfMark Extra

## The complete Sportmaster WSF Range

Product name	Analyses	Recommended period of use											
Hign N	35-0-14+Fe	J	F	M	A	M	J	J	A	S	O	N	D
Spring & Summer	28-5-19+TE	J	F	M	A	M	J	J	A	S	O	N	D
Hign K	15-0-43+Fe	J	F	M	A	M	J	J	A	S	O	N	D

Everris International B.V.

P.O. Box 40 - 4190 CA Geldermalsen  
Koeweistraat 4 - 4181 CD Waardenburg  
The Netherlands



Everris International B.V. is certified according  
ISO 9001, ISO 14001 en OHSAS 18001.

®/TM Trade Marks of Everris International © Copyrights Everris

**everris.**